


TECHNOLOGY



bizhub® 808

MONOCHROME HIGH-VOLUME MULTIFUNCTION PRINTER

High-speed print/copy output of 80 ppm in high-quality B&W	
Standard dual scanning handles up to 240 originals per minute	
High capacity 300-sheet document feeder	
INFO-Palette display for instant access to more information	
Large 9" color display with quick, tablet-like interface	
Web browser ready with 4 GB memory	
Downloadable apps to improve your productivity	
Simitri® HD toner guarantees excellent print quality	
Scan-to-email, scan-to-ftp, scan-to-me, scan-to-home convenience	

6,650-sheet capacity, tab printing support, carbon-copy printing	
Finishing options for 80-page booklet making, up to 100-sheet stapling	
Options for 2/3-hole punch, tri-fold, z-fold, post-insertion and more	
Internal card reader and other advanced security options	
Optional voice guidance, PDF/A formatting	
Multiple i-Options to suit the needs of your workflow	
Low power consumption, eco-indicator to help cut costs	
EPEAT Gold-certified	
Mobile printing support (AirPrint, Google Classic Cloud Print™, NFC)	

bizhub 808

MONOCHROME HIGH-VOLUME MULTIFUNCTION PRINTER

With 80 ppm print/copy output in high-resolution B&W, standard dual scanning at up to 240 opm, multiple finishing options and enhanced touch-and-swipe interface, the bizhub 808 brings maximum productivity to high-volume document demands and in-house, on-demand printing applications.

SYSTEM	OVERVIEW
System i	nemory

System hard disk	250 GB		
Interface	10-BASE-T / 100-BASE-TX / 1,000-BASE-T Ethernet,		
Network protocols	USB 2.0, Wi-Fi 802.11 b/g (optional) TCP/IP (IPv4/IPv6), NetBEUI, SMB, LPD, IPP, SNMP, HTT		
Frame types	Ethernet 802.2, Ethernet 802.3, Ethernet II, Ethernet SNAP		
Dual scan			
document feeder	Up to 300 originals / 5.5" x 8.5" to 11" x 17" /		
	35–210 gsm Scanning/Copying: up to 11" x 17"		
Printable paper size	Printing: up to 11" x 17" full bleed on 12" x 18" pape		
	Custom paper sizes, Banner paper max.: 11.75" x 47.25		
Printable paper weight			
Paper input capacity	52-300 gsm Standard: 3,650 sheets / Max.: 6,650 sheets		
Tray 1	500 sheets / 5.5" x 8.5" to 12" x 18" / 52–256 gsm		
Tray 2	500 sheets / 5.5" x 8.5" to 12" x 18" / 52–256 gsm		
Tray 3	1,500 sheets / 8.5" x 11" / 52-256 gsm		
Tray 4	1,000 sheets / 8.5" x 11" / 52–256 gsm		
Large capacity tray	3,000 sheets / 8.5" x 11" / 52-256 gsm		
LU-303 (optional)			
Large capacity tray LU-205 (optional)	2,500 sheets / 8.5" x 11" to 12" x 18" / 52-256 gsm		
Manual bypass	150 sheets / 4" x 6" to 12" x 18" / custom paper sizes /		
	52-300 gsm		
Automatic duplexing	5.5" x 8.5" to 12" x 18" / 52-256 gsm		
Finishing modes	Offset, group, sort, staple, punch, post insertion		
•	z-fold, half-fold, tri-fold, booklet		
Output capacity	Max. with finisher: 3,300 sheets		
	Max. without finisher: 250 sheets		
Stapling (optional)	Max.: 100 sheets or 94 sheets + 2 cover sheets		
	(up to 209 gsm)		
Stapling output capacity	Max.: 1,000 sheets		
Tri-fold (optional)	Up to 3 sheets		
Tri-fold capacity	Max.: 30 sheets (tray)		
Booklet (optional)	Max.: 20 sheets or 19 sheets + 1 cover sheet		
	(up to 209 gsm)		
Booklet output capacity	Max.: 100 sheets (tray)		
Copy/print volume	Max.: 300,000 pages / month ¹		
Toner lifetime	40,800 pages		
Imaging unit lifetime	400,000 pages / 1,200,000 pages (developer)		
Power consumption	120 V / 50/60 Hz, less than 2.1 kW		
System dimensions	26.4" x 32.3" x 48.5" (W x D x H)		
System weight	Approx. 441 lb		
Jystem weight	DANON: 441 IN		
PRINTER SPECIFICATIONS			
Print resolution	1,800 x 600 dpi, 1,200 x 1,200 dpi		
PDL	PCL6 (XL 3.0), PCL5, PostScript 3 (ver. 3016), XPS		
Operating systems	Windows (x32 / x64); Vista / 7 / 8 / 8.1		
	Windows Server: 2003 / 2003 R2 / 2008 / 2008 R2 /		
	2012 / 2012 R2		
	Macintosh OS X: 10.6 / 10.7 / 10.8 / 10.9 / 10.10		
	Unix/Linux/Citrix		
Printer fonts	80 PCL Latin, 137 PostScript 3 emulation		
Print functions	Direct Print of PCL, PS, TIFF, XPS, PDF (v. 17), encrypted		
	DDE files and OOVML (DOCY, VLCV, DDTV), mismodia		

PDF files and OOXML (DOCX, XLSX, PPTX), mixmedia and mixplex, "Easy Set" job programming, overlay, watermark, copy protection, carbon copy print

COPIER SPECIFICATIONS

Copying process	Electrostatic laser copy, tandem, indirect	
Toner system	Simitri® HD Polymerized Toner	
Print speed (8.5" x 11")	Up to 80 ppm (portrait)	
Autoduplex speed (8.5" x 11")	Up to 80 ppm (portrait)	
1st copy out time	3.6 sec.	
Warm-up time	Approx. 100 sec. ²	
Copy resolution	600 x 600 dpi	
Gradations	256 gradations	
Multi-copy	1-9,999	
Original format	Up to 11" x 17"	
Magnification	25-400% in 0.1% steps, auto zooming	
Copy functions	Chapter, cover and page insertion, proof copy (print and screen), adjustment test print, digital art functions, job setting memory, poster mode, image geneal, overlay stamping, copy protection	

Scan speed	B&W / Color: Up to 240 ipm		
Scan resolution	Max.: 600 x 600 dpi		
Scan modes	Scan-to-Email, Scan-to-SMB, Scan-to-FTP,		
	Scan-to-Box, Scan-to-USB, Scan-to-WebDAV,		
	Scan-to-DPWS, Network TWAIN scan		
File formats	JPEG, TIFF, PDF, PDF/A 1a and 1b (optional),		
	compact PDF, encrypted PDF and searchable PDF		
	(optional), XPS, compact XPS, PPTX and searchable		
	PPTX (optional), searchable DOCX/XLSX (optional)		
Scan destinations	2,100 (shared with fax), LDAP support		
Scan functions	Annotation (text/time/date) for PDF, up to 400 job programs, real-time scan preview		

FAX SPECIFICATIONS	
Fax	Super G3 (optional)
Transmission	Analog, Color i-Fax, IP-Fax
Resolution	Max.: 600 x 600 dpi (ultra-fine)
Compression	MH, MR, MMR, JBIG
Modem	Up to 33.6 Kbps
Destinations	2,100 (single + group)
Functions	Polling, time shift, PC-fax, receipt to confidential box, receipt to email/FTP/SMB, up to 400 job programs

USER BOX SPECIFICATIONS

Storable documents	Max.: 5,000 documents of 10,000 pages	
Type of user boxes	Public	
	Personal (with password or authentication)	
	Group (with authentication)	
Type of system boxes	Secure print, encrypted PDF, fax receipt, fax polling	
User box functionality	Reprint, combination, download,	
	sending (email/ FTP/SMB and fax),	
	copy box-to-box	

May - 3 000 days - - - - 10 000 - - - -

SYSTEM FEATURES

Security	ISO 15408 EAL33
	IEEE 2600.13
	IP filtering and port blocking
	SSL2, SSL3 and TSL1.0 network communication
	IPsec support
	IEEE 802.1x support
	User authentication
	Authentication log
	Secure print
	Hard disk overwrite (8 standard types)
	Hard disk data encryption (AES 256)
	Hard disk mirroring (optional)
	Memory data auto deletion
	Confidential fax receipt
	Print user data encryption
	Copy protection: Copy Guard, Password Copy (optional)
Accounting	Up to 1,000 user accounts
	Active directory support
	(user name + password + email + SMB folder)
	User function access definition
	Optional biometric authentication (finger vein scanner)
	Optional ID card authentication (ID card reader)
Software	Net Care Device Manager
	Box Operator
	Direct Print
	Print Status Notifier
	Driver Packaging Utility
	Log Management Utility

Maximum monthly duty cycle describes the maximum number of pages a device can output on a monthly basis. This specification is a guideline intended to offer a comparison of unahility as it relates to the marke feed in a final table they derive product line so that the appropriate device on the placed in order to nece customer needs. "Varimum up in me may vary depending on the operating environment and usage. "Certification peredrag.



COMPONENTS AND OPTIONS

AU-102 Biometric authentication	Finger vein scanner	
	14 1 18 1 1 1 1 1 1	
AU-205H Universal	Various ID card technologies	
ID Card Reader		
EK-610 USB I/F kit	USB keyboard connection	
EK-611 USB I/F kit	USB keyboard connection, Bluetooth	
External keyboard	External USB keyboard	
FK-515 Fax board	Super G3 fax, digital fax functionality, lines 3 & 4 support	
	(requires MK-742)	
FK-516 Fax board	Super G3 fax, digital fax functionality	
FS-536 Staple finisher	50-sheet stapling / 3,200 sheets max. output	
	(requires RU-515)	
FS-536SD Booklet	50-sheet staple finisher / 20-sheet booklet finisher /	
finisher	2,200 sheets max. output (requires RU-515)	
FS-537 Staple finisher	100-sheet stapling / 3,200 sheets max. output	
	(requires RU-515)	
FS-537SD Booklet	100-sheet stapling / 20-sheet booklet finishing /	
finisher	2,500 sheets max. output (requires RU-515)	
HD-524 Hard disk	Hard disk mirroring, 250 GB	
IS-602 lob separator	Separation for fax output, etc.	
KH-102 Keyboard holder	To place USB keyboard	
KP-101 10-Key pad	For use instead of touchscreen	
LK-102 v3	PDF/A, PDF encryption, digital signature	
LK-102 v3	Provides voice guidance functions	
LK-105 v4	Searchable PDF	
LK-106	Supports native barcode printing	
LK-107	Supports native Unicode printing	
LK-108	Supports native OCR A and B font printing	
LK-110 v2	Generates various file formats includes DOCX, XLSX	
	and combines LK-102 (encrypted PDF) + LK-105	
	(searchable PDF/OCR functionality)	
LK-111 ThinPrint® Client	Print data compression for reduced network impact	
LU-205 Large		
LU-205 Large capacity unit	Print data compression for reduced network impact 2,500 sheets / 8.5" x 11" to 12" x 18" / 52–256 gsm	
LU-205 Large capacity unit LU-303 Large	Print data compression for reduced network impact	
LU-205 Large capacity unit LU-303 Large capacity unit	Print data compression for reduced network impact 2,500 sheets / 8.5" x 11" to 12" x 18" / 52-256 gsm 3,000 sheets / 8.5" x 11" / 52-256 gsm	
LU-205 Large capacity unit LU-303 Large capacity unit MK-715 Mount kit	Print data compression for reduced network impact 2,500 sheets / 8.5" x 11" to 12" x 18" / 52-256 gsm 3,000 sheets / 8.5" x 11" / 52-256 gsm Banner paper guide	
LU-205 Large capacity unit LU-303 Large capacity unit MK-715 Mount kit MK-735 Mount kit	Print data compression for reduced network impact 2,500 sheets / 8.5" x 11" to 12" x 18" / 52–256 gsm 3,000 sheets / 8.5" x 11" to 1" / 2-256 gsm Banner paper guide Installation ist for ID card reader	
LU-205 Large capacity unit LU-303 Large capacity unit MK-715 Mount kit	Print data compression for reduced network impact 2,500 sheets / 8.5" x 11" to 12" x 18" / 52-256 gsm 3,000 sheets / 8.5" x 11" / 52-256 gsm Banner paper guide	
LU-205 Large capacity unit LU-303 Large capacity unit MK-715 Mount kit MK-735 Mount kit	Print data compression for reduced network impact 2,500 sheets / 8.5" x 11" to 12" x 18" / 52–256 gsm 3,000 sheets / 8.5" x 11" to 1" / 2-256 gsm Banner paper guide Installation ist for ID card reader	
LU-205 Large capacity unit LU-303 Large capacity unit MK-715 Mount kit MK-735 Mount kit	Print data compression for reduced network impact 2,500 sheets / 8.5" x 1.1" to 1.2" x 18" / 52-256 gym 3,000 sheets / 8.5" x 1.1" / 52-256 gym 8,000 sheets / 8.5" x 1.1" / 52-256 gym 8anner paper guide installation int for I/D card reader installation int for I/D card reader installation int for I/D red reader installation int for I/D red reader installation into I/D red reader installation I	
LU-205 Large capacity unit LU-303 Large capacity unit MK-715 Mount kit MK-735 Mount kit MK-742 Mount kit OT-508 Output tray	Print data compression for reduced network impact 2,500 sheets / 8.5" x 11" to 12" x 18" / 52–256 gpm 3,000 sheets / 8.5" x 11" to 12" x 2-256 gpm 3,000 sheets / 8.5" x 11" to 12" x 2-256 gpm 8.8 maner paper guide Installation int for IPC Card reader Installation int for IPC To Card reader Unstallation int for IPC ST 55 to board Output tray use integrated of finisher	
LU-205 Large capacity unit LU-303 Large capacity unit MK-715 Mount kit MK-735 Mount kit MK-742 Mount kit OT-508 Output tray PI-507 Post inserter	Print data compression for reduced network impact 2,500 sheets / 8.5" x 11" to 12" x 18" / 52-256 gsm 3,000 sheets / 8.5" x 11" to 12" x 18" / 52-256 gsm 8anner pager guide Installation bit for ID card reader Installation bit for IPC and reader Installation bit for IPC store installation for the reduced Installation bit for IPC store installation post finishing Cover installation post finishing	
LU-205 Large capacity unit LU-303 Large capacity unit MK-715 Mount kit MK-735 Mount kit MK-742 Mount kit OT-508 Output tray PI-507 Post inserter PK-520 Punch kit	Print data compression for reduced network impact 2,500 sheets / 8.5" x 11" to 12" x 18" / 52-256 gm 3,000 sheets / 8.5" x 11" / 52-256 gm 8. Banner paper guide Installation list for ID card reader Installation list for F6.515 as board Output tray use instead of finisher Cover insertion, post finishing 2/3-hole punching, autoswitching	
LU-205 Large capacity unit LU-303 Large capacity unit MK-715 Mount kit MK-735 Mount kit MK-742 Mount kit OT-508 Output tray PI-507 Post inserter PK-520 Punch kit for FS-536	Print data compression for reduced network impact 2,500 sheets / 8.5" x 11" to 12" x 18" / 52-256 gsm 3,000 sheets / 8.5" x 11" to 12" x 18" / 52-256 gsm 8anner pager guide Installation bit for ID card reader Installation bit for IPC and reader Installation bit for IPC store installation for the reduced Installation bit for IPC store installation post finishing Cover installation post finishing	
UJ-205 Large capacity unit UJ-303 Large capacity unit UJ-303 Large capacity unit MK-715 Mount kit MK-725 Mount kit MK-724 Mount kit OT-508 Output tray PI-507 Post inserter PK-520 Punch kit for FS-536 PK-523 Punch kit	Print data compression for reduced network impact 2,500 sheets / 8.5" x 11" to 12" x 18" / 52-256 gom 3,000 sheets / 8.5" x 11" / 52-256 gom 3,000 sheets / 8.5" x 11" / 52-256 gom 8. Banner paper guide Installation sit for ID card reader Installation sit for ID card reader Installation sit for IP 6.515 as board Output tray use instead of finisher Cover insertion, post finishing 2/3-hole punching, autoswitching 2/3-hole punching, autoswitching 2/3-hole punching, autoswitching	
IU-205 Large capacity unit IU-303 Large capacity unit MK-735 Mount kit MK-735 Mount kit Of-508 Output tray PI-507 Post Inserter PK-522 Punch kit for FS-536 PK-523 Punch kit for FS-537 RU-515 Reslay unit	Print data compression for reduced network impact 2,500 sheets / 8.5" x 11" to 12" x 18" / 52–256 gpm 3,000 sheets / 8.5" x 11" to 12" x 18" / 52–256 gpm 3,000 sheets / 8.5" x 11" to 12 card reader installation bit for ID card reader installation bit for IP-6315 fix board Output tray use instead of finisher Cover insertion, post finishing 2/23-hole purching, autoswitching 2/3-hole purching, autoswitching Required for the FS-536 / FS-535 / FS-537 / FS-537 SD	
IU-205 Large capacity unit IU-303 Large capacity unit MK-715 Mount kit MK-735 Mount kit MK-735 Mount kit MK-735 Mount kit or F5-80 Output tray PI-507 Post inserter PK-520 Punch kit for FS-537	Print data compression for reduced network impact 2,500 sheets / 8.5° x 11" to 12" x 18" / 52-256 gmm 3,000 sheets / 8.5° x 11" / 52-256 gsm Banner paper guide Installation ist for ID card reader Installation ist for ID card reader Installation ist for IP 6.515 as board Output tray use instead of finisher Cover insertion, post finishing 2,3-hole punching, autoswitching 2,23-hole punching, autoswitching 2,23-hole printing in the properties of the 15-536 / FS-5365D / FS-537/FS-537SD Copy guard functions	
IU-205 Large capacity unit UJ-303 Large capacity unit MK-715 Mount kit MK-735 Mount kit MK-735 Mount kit OT-508 Output tray PI-507 Post inserter PK-520 Punch kit for FS-536 PK-523 Punch kit for FS-537 RU-515 Relay unit	Print data compression for reduced network impact 2,500 sheets / 8.5" x 11" to 12" x 18" / 52–256 gpm 3,000 sheets / 8.5" x 11" / 52–256 gpm 3,000 sheets / 8.5" x 11" / 52–256 gpm 8 Banner paper guide installation ist for IPC 30 care for installation ist for IPC 30 care for installation ist for IPC 315 tax board Output tray use instead of finisher Cover insertion, post finishing 2/3-hole punching, autoswitching 2/3-hole punching, autoswitching 2/3-hole punching, autoswitching Copy guard function Added fax stamp capability	
IU-205 Large capacity unit IU-303 Large capacity unit MK-715 Mount kit MK-725 Mount kit MK-724 Mount kit Of-508 Output tray Of-508 Output tray Of-508 Pounch kit for FS-536 PK-523 Punch kit for FS-536 RU-515 Relay unit SP-501 Stamp unit UK-501 Toulot feed	Print data compression for reduced network impact 2,500 sheets / 8.5° x 11" to 12" x 18" / 52-256 gmm 3,000 sheets / 8.5° x 11" / 52-256 gsm Banner paper guide Installation ist for ID card reader Installation ist for ID card reader Installation ist for IP 6.515 as board Output tray use instead of finisher Cover insertion, post finishing 2,3-hole punching, autoswitching 2,23-hole punching, autoswitching 2,23-hole printing in the properties of the 15-536 / FS-5365D / FS-537/FS-537SD Copy guard functions	
LII-2051 arge capacity unit LII-3051 arge capacity unit LII-3051 arge capacity unit MK-715 Mount kit MK-735 Mount kit MK-736 Mount kit OF-508 Output tray PI-507 Post Inserter PI-507 Post Inserter VII-507 Post Inserter VII-508 Post VII-508 Pi-508 Pi-50	Print data compression for reduced network impact 2,500 sheets / 8.5" x 11" to 12" x 18" / 52-256 gpm 3,000 sheets / 8.5" x 11" / 52-256 gpm 3,000 sheets / 8.5" x 11" / 52-256 gpm 8 Banner paper guide installation bit for ID card reader installation bit for ID card reader installation bit for IP-515 fax board Output by ay use instead of finisher Cover insertion, post finishing 2/3-hole punching, autoswitching 2/3-hole punching, autoswitching 2/3-hole punching, autoswitching Copy guard function Added fax stamp capability Detects multi-feeding in the document feeder	
LIL-2051 arpe capacity unit LIL-3031 arpe capacity unit MK-715 Mount kit MK-718 Mount kit MK-728 Mount kit OF-508 Output tray PF-507 Post Inserter PK-520 Punch kit OF-558 Synuch kit OF-558 Syn	Print data compression for reduced network impact 2,500 sheets / 8.5 x x 11" to 12" x 18" / 52-256 gmm 3,000 sheets / 8.5 x x 11" / 52-256 gmm 3,000 sheets / 8.5 x x 11" / 52-256 gmm 3,000 sheets / 8.5 x x 11" / 52-256 gmm 8 Banner paper guide Installation ist for 10 card reader Installation ist for 10 card reader Installation ist for 15-515 ax board Output tray use instead of finisher Cover inserton, post finishing 2,3-hole punching, autoswitching 2,3-hole punching, autoswitching 2,23-hole punching, autoswitching Required for the FS-336 / FS-336D / FS-537/FS-537SD Copy guard function Added fax stamp capability Detects multi-feeding in the document feeder Wireless LAN to network connector	
LIJ-205 Large capacity unit LIJ-303 Large capacity unit LIJ-303 Large capacity unit MKR-715 Mourat kit MKR-715 Mourat kit MKR-715 Mourat kit MKR-726 Mourat kit for FS-532 Pach hit UK-510 Poulate Red UK-510 Double Red detection kit UK-212 Wireless LAM UK-212 Wireless LAM	Print data compression for reduced network impact 2,500 sheets / 8.5" x 11" to 12" x 18" / 52-256 gpm 3,000 sheets / 8.5" x 11" / 52-256 gpm 3,000 sheets / 8.5" x 11" / 52-256 gpm 8 Banner paper guide installation bit for ID card reader installation bit for ID card reader installation bit for ID card reader installation bit for IPG-515 fax board Output bit you be instead of finisher Cover insertion, post finishing 2/3-hole punching, autoswitching 2/3-hole punching, autoswitching 2/3-hole punching, autoswitching Required for the FS-536 / FS-536 D / FS-537 / FS-537 D Copy guard function Added fax stamps capability Detects multi-feeding in the document feeder Witterless LANT on network connector Authentication device placement	
LIL-2051 arpe capacity unit LIL-3031 arpe capacity unit MK-715 Mount kit MK-715 Mount kit MK-725 Mount kit MK-726 Mount kit M	Print data compression for reduced network impact 2,500 sheets / 8.5° x 11" to 12" x 18" / 52-256 gmm 3,000 sheets / 8.5° x 11" / 52-256 gsm 3,000 sheets / 8.5° x 11" / 52-256 gsm Banner paper guide Installation ist for ID card reader Installation ist for IF 6.515 ax board Output tray use instead of finisher Cover inserton, post finishing 2,3-hole punching, autoswitching 2,3-hole punching, autoswitching 2,23-hole punching, autoswitching 2,23-hole punching, autoswitching Agide for the FS-336 / FS-336D / FS-537/FS-537SD Copy guard function Added fax stamp capability Detects multi-feeding in the document feeder Wireless LAN to network connector Authentication device plazement Used to mount the control panel in an upright position,	
LIJ-205 Large capacity unit LIJ-303 Large capacity unit LIJ-303 Large capacity unit MKR-715 Mourat kit MKR-715 Mourat kit MKR-715 Mourat kit MKR-726 Mourat kit for FS-532 Pach hit UK-510 Poulate Red UK-510 Double Red detection kit UK-212 Wireless LAM UK-212 Wireless LAM	Print data compression for reduced network impact 2,500 sheets / 8.5" x 11" to 12" x 18" / 52-256 gpm 3,000 sheets / 8.5" x 11" / 52-256 gpm 3,000 sheets / 8.5" x 11" / 52-256 gpm 8 Banner paper guide installation bit for ID card reader installation bit for ID card reader installation bit for ID card reader installation bit for IPG-515 fax board Output bit you be instead of finisher Cover insertion, post finishing 2/3-hole punching, autoswitching 2/3-hole punching, autoswitching 2/3-hole punching, autoswitching Required for the FS-536 / FS-536 D / FS-537 / FS-537 D Copy guard function Added fax stamps capability Detects multi-feeding in the document feeder Witterless LANT on network connector Authentication device placement	



Managed Enterprise Services

PARTNERSHIP

.....

Konica Minolta can help give shape to your ideas and partner with you to achieve your corporate objectives. Contact us to realize opportunities in:

INFORMATION MANAGEMENT	II SERVICES	TECHNOLOGY
Enterprise Content Management (ECM)	Application Services	Office Multifunction Business Solutions
Document Management	Cloud Services	Commercial and Production Printers
Automated Workflow Solutions	IT Security	3D Printers
Business Process Automation	Managed IT Services	Wide Format Printers
Security and Compliance	IT Consulting & Projects	Laptops, Desktops and
Mobility	Business Consulting Services	Computer Hardware
eDiscovery Services		Servers and Networking Equipment
		Managed Print Services (MPS)







For complete information on Konica Minolta products and solutions,

please visit: CountOnKonicaMinolta.com

© 2018 KONICA MINOLTA BUSINESS SOLUTIONS U.S.A., INC. All rights reserved. Reproduction in whole or in part without written permission sipnobilitiest (SONICA MINOLTA), the SOLUTION SULP, INC. All other product rand brand names are trademarks of the respective companies or organizations. All features and functions described here may not be a sulpide on conner product. The control is the product of the respective companies or organizations. All features and functions described here may not be a sulpide on conner product. Design Reproficit ansies are subject to change without notice.



KONICA MINOLTA

KONICA MINOLTA BUSINESS SOLUTIONS U.S.A., INC. 100 Williams Drive, Ramsey, New Jersey 07446 CountOnKonicaMinolta.com



tem #: 808SS 10/2018-C